

WANHONG

PACKAGING



浙江万宏包装有限公司

地址：浙江省绍兴市上虞区曹娥街道高新路 16 号
电话：0575-82578128 82578958 82578588
传真：0575-82577281
邮箱：Leon@wanhongtube.com
www.wanhongtube.com

ZHEJIANG WANHONG PACKAGING CO., LTD

Add: No.16, Gaoxin Road, Shangyu District, Shaoxing City,
Zhejiang Province 312352, China
Tel: 0575-82578128 82578958 82578588 Fax: 0575-82577281
Email: Leon@wanhongtube.com



关于万宏 ABOUT WANHONG

浙江万宏包装有限公司（原上虞市万宏塑料制品有限公司），成立于2007年，公司专业生产各类PE塑料软管、PP塑料盖。产品广泛应用于化妆品、日用品、医药包装、工业包装等。

工厂占地40亩，厂房总面积三万五千平方米，月产能1000万支。专业生产Φ13mm-Φ55mm直径的各类圆形、异形、单层、五层软管及配套旋盖、翻盖。原料、色母均采用食品级标准，主要源自日本、台湾、德国、美国等地，其各项微量元素均符合国际标准。

风雨十年，万宏始终秉承“质量至上”的管理理念，赢得了客户的掌声。我们矢志不渝、坚定不移地将“品质”奉为“生命”。

先进的硬件与精湛的生产技术，规范的管理与专业的客户服务团队，实力雄厚的科研技术队伍，使万宏在成长的道路上，取得了辉煌的业绩。未来我们将继续以市场为导向，以创新为核心，致力于实现客户全方位的包材需求，并立志成为您重视的包装方案提供者与协作者，共同成就包装事业的辉煌。

Wanhong, specialized in plastic tube packaging, was founded in 2007 and we all along service cosmetic, consumer, pharmaceutical and industrial markets.

With four production lines, our total capacity comes to 10 million PCS tubes monthly. Our corporation is equipped with advanced machines to manufacture single layer tubes, multi-layer (2/5-layer) tubes, round tubes, oval tubes, soft touch and PCR tubes in diameter from Φ13 mm to Φ55 mm. Moreover, our raw material all meet food grade standard and are mainly from Japan, Taiwan, Germany, the United States.

Through ten years of hardness, Wanhong always adheres to the management concept of 'quality oriented' and wins the praise of customers. We unswervingly and firmly regard 'quality' as 'life'.

Wanhong has gained glorious achievements in the path of growth by virtue of advanced machines and exquisite production technology as well as standard management and professional customer service teams. In the future, we will continue to be market-oriented, take technical team as the core and devote to realizing customers' comprehensive requirements for packaging. And we are determined to be your faithful packaging collaborator and provider, and achieve a glorious packaging cause together with you.



生产设备 Machines & Equipments

公司不断引进国内外先进生产设备来扩大产能和提高产品质量，现拥有国际先进水平的全自动挤出成型机、全电脑注塑机、胶印和丝网印刷机、自动锁盖机、自动贴标机、自动烫印机、封尾机、自动理管机、塑封包装机、全自动高效除尘设备等。

The company has been always importing advanced facilities in order to enlarge the productivity and improve the quality. We are currently equipped with extrusion machines, injection molding machines, offset and silk screen machines, capping machines, labeling machines, hot stamping machines, shrink film machines, and efficient dust free machines, etc.



注头 Head injection

自动锁盖 Self-capping



胶印 Offset printing

丝印 Silkscreen printing



模具车间 Mould workshop

注塑车间 Injecting workshop

我们的客户 Our Clients



资质证书 Qualification Certificate



万宏有着卓越的品质意识和环保意识，于2008年通过ISO9001:2008认证，2011年通过ISO14001:2004环境认证。

Wanhong has achieved quality excellence and environmental friendliness through different international certification. We obtained ISO9001:2008 certified in 2008 and ISO14001:2004 in 2011.



Φ13 Tube



型号: 1302T 盖子: 1360C

Φ16 Tube



型号: 1601T 盖子: 1603C



型号: 1601T 盖子: 1601C



型号: 1601T 盖子: 1602C



型号: 1608T 盖子: 1604C



型号: 1607T 盖子: 1604C



型号: 1604T 盖子: 1605C



型号: 1603T 盖子: 1605C



型号: 1603T 盖子: 1606C



型号: 1603T 盖子: BR01



型号: 1605T 盖子: 1660C



型号: 1605T 盖子: 1663C



型号: 1605T 盖子: 1661C



型号: 1605T 盖子: 1660C



型号: 1605T 盖子: 1663C



型号: 1605T 盖子: 1663C



型号: 1605T 盖子: 1660C



型号: 1902T 盖子: 1608C



型号: 1903T 盖子: 307C



型号: 1903T 盖子: 1911C



型号: 1902T 盖子: 1906C



型号: 1901T 盖子: 315C



型号: 1901T 盖子: 313C



型号: 1901T 盖子: 1910C



型号: 1901T 盖子: 302C



型号: 1906T 盖子: 1905C



型号: 1906T 盖子: 1905C



型号: 1907T 盖子: 1904C



型号: 1904T 盖子: 1903C



型号: 1901T 盖子: 312C



型号: 1901T 盖子: 309C



型号: 1901T 盖子: 1908C



型号: 1901T 盖子: 503C



型号: 1901T 盖子: 1901C



型号: 1901T 盖子: 1908C



型号: 1901T 盖子: 1602C



型号: 1903T 盖子: 1605C



型号: 1901T 盖子: 301C



型号: 1901T 盖子: 502C




型号: 1901T 盖子: 618C



型号: 1901T 盖子: 1908C



Φ22 Tube



型号: 2201T 盖子: 2201C



型号: 2201T 盖子: 303C



型号: 2201T 盖子: 316C



型号: 2201T 盖子: 303C



型号: 2203T 盖子: 2202C



型号: 2201T 盖子: 305C



型号: 2201T 盖子: 508C



型号: 2201T 盖子: 507C



型号: 2201T 盖子: 315C



型号: 2201T 盖子: 315C



型号: 2203T 盖子: 1605C



型号: 2203T 盖子: 1605C



型号: 2201T 盖子: 504C




型号: 2201T 盖子: 539C



型号: 2201T 盖子: 310C



型号: 2201T 盖子: 1910C





型号: 3002T 盖子: 330C



型号: 3002T 盖子: 329C



型号: 3002T 盖子: 327C



型号: 3007T 盖子: 3062C



型号: 3001T 盖子: 326C



型号: 3002T 盖子: 534C



型号: 3002T 盖子: 602C



型号: 3002T 盖子: 326C



型号: 3002T 盖子: 3001C



型号: 3002T 盖子: 3001C



型号: 3001T 盖子: 3060C



型号: 3002T 盖子: 300C



型号: 3002T 盖子: 524C



型号: 3002T 盖子: 619C



型号: 3002T 盖子: 605C



型号: 3002T 盖子: 522C



型号: 3008T 盖子: 514C



型号: 3008T 盖子: 1910C



型号: 3002T 盖子: 526C



型号: 3002T 盖子: 328C



型号: 3004T 盖子: 2564C



型号: 3004T 盖子: 2564C



型号: 3004T 盖子: 2564C



型号: 3004T 盖子: 2564C



型号: 3502T 盖子: 3502C



型号: 3504T 盖子: 3509C



型号: 3501T 盖子: 3508C



型号: 3501T 盖子: 3563C



型号: 3501T 盖子: 3560C



型号: 3501T 盖子: Y201



型号: 3501T 盖子: 321C



型号: 3504T 盖子: 335C



型号: 3504T 盖子: 525C



型号: 3503T 盖子: 1605C



型号: 3504T 盖子: 323C



型号: 3501T 盖子: 341C



型号: 3501T 盖子: 331C



型号: 3008T 盖子: 340C



型号: 3504T 盖子: 528C



型号: 3504T 盖子: 532C



型号: 3504T 盖子: 603C



型号: 3504T 盖子: 607C



型号: 3504T 盖子: 530C



型号: 3504T 盖子: 519C



型号: 3504T 盖子: 510C



型号: 3501T 盖子: 527C



型号: 3504T 盖子: 520C



型号: 3504T 盖子: 604C



型号: 3504T 盖子: 537C



型号: 3504T 盖子: 609C



型号: 3504T 盖子: 608C



型号: 3504T 盖子: 521C



型号: 3504T 盖子: 324C



型号: 3504T 盖子: 523C



型号: 3504T 盖子: 610C



型号: 3504T 盖子: 531C



型号: 3504T 盖子: 336C



型号: 3504T 盖子: 538C



型号: 3504T 盖子: 536C



型号: 3504T 盖子: 518C



Φ38 Tube



型号: 3802T 盖子: 3801C



型号: 3801T 盖子: 3860C

Φ40 Tube



型号: 4001T 盖子: 4001C



型号: 4002T 盖子: 4002C



型号: 4001T 盖子: 4063C



型号: 4002T 盖子: 516C



型号: 4002T 盖子: 608C



型号: 4001T 盖子: 334C



型号: 4001T 盖子: 4006C



型号: 4001T 盖子: 533C



型号: 4002T 盖子: 513C



型号: 4002T 盖子: 611C



型号: 4005T 盖子: 4009C



型号: 4001T 盖子: 344C



型号: 4002T 盖子: 514C



型号: 4002T 盖子: 601C



型号: 4001T 盖子: 4006C



型号: 4010T 盖子: 4010C



型号: 4002T 盖子: 319C



型号: 4002T 盖子: 508C



型号: 4002T 盖子: 516C



型号: 4001T 盖子: 346C



型号: 4002T 盖子: 609C



型号: 4001T 盖子: 347C



型号: 4002T 盖子: 517C



型号: 4002T 盖子: 512C



型号: 4002T 盖子: 515C



型号: 4002T 盖子: 515C



Φ45 Tube



型号: 4501T 盖子: 4501C



型号: 4501T 盖子: 4560C



型号: 4501T 盖子: 325C



型号: 4501T 盖子: 320C



型号: 4501T 盖子: 348C

Φ50 Tube



型号: 5001T 盖子: 5001C



型号: 5001T 盖子: 5060C



型号: 5003T 盖子: 5071C



型号: 5001T 盖子: 5201C



型号: 5001T 盖子: 5061C



型号: 5001T 盖子: 5066C



型号: 5001T 盖子: 5002C



型号: 5001T 盖子: 322C



型号: 5001T 盖子: 339C



型号: 5001T 盖子: 338C

Φ55 Tube



型号: 5501T 盖子: 5501C

WANHONG
TUBE
异形管



超扁管 Super oval tube



型号: 3006T 盖子: 3003C



型号: 3507T 盖子: 3506C



型号: 3507T 盖子: 541C



型号: 4004T 盖子: 4003C



型号: 4004T 盖子: 540C



型号: 5005T 盖子: 5073C

椭圆管 Oval tube



型号: 3009T 盖子: 3065C



型号: 3006T 盖子: 349C



型号: 3505T 盖子: 3505C



型号: 3505T 盖子: 352C



型号: 3505T 盖子: 3504C



型号: 3507T 盖子: 351C




型号: 3505T 盖子: 510C




型号: 4011T 盖子: 4005C

产品分解图 PRODUCT DIAGRAM



特点：具有良好的气体阻隔性能，能有效防止氢气和异味的渗入

Features: has good gas barrier performance, can effectively prevent the infiltration of hydrogen and peculiar smell



尺寸参照表 Specification

软管尺寸 · 容积参考 Tube Diameter · Fill Capacity

直径mm/D 长度mm/L 容量ml/C	Φ13	Φ16	Φ19	Φ22	Φ25	Φ30	Φ35	Φ38	Φ40	Φ45	Φ50	Φ55
1	40											
3	51	43										
5	65	55										
10			66									
15			85	72								
20			100	85	74							
25			110	100	84							
30				110	94	78						
35					104	85	75					
40					115	92	81					
50					135	106	91					
60						122	102	90				
70						136	112	100	98			
80						150	124	110	106			
90							135	120	114	86		
100							148	130	122	95		
110							162	145	128	102		
120								155	137	110		
130								164	145	115	110	
140								173	154	126	118	
150								181	162	134	120	100
160									170	142	130	105
170									178	150	137	110
180									186	158	143	115
190										164	149	120
200										172	156	124
210										180	164	127
220										190	170	130
230											175	137
240											180	143
250											185	149
300												173
350												195
400												218
450												
500												

椭圆/超扁软管尺寸 · 容积参考 Oval / Super Oval Tube Diameter · Capacity

直径mm/D 长度mm/L 容量ml/C	Φ30	Φ35	Φ40	Φ50
30	80			
35	90	80		
40	100	88		
50		98		
60		105	100	
70		125	120	
80		135	130	
100		143	135	
105			145	
110			155	
120				
125				125
140				130

- 软管直径固定，长度可酌量伸缩。
- 以上容量表仅做参考，可以根据客户需求在一定范围内做相应调整。
- Tube diameter is set; Length of tube can be customized.
- Specifications are for reference only and customized sizes are available.