



NEW PRODUCT CATALOG V4.0(E)



 **ADD.:** 16, Gaoxin Road, Cao E Street, Shangyu District,
Shaoxing City, Zhejiang, China

 **TEL.:** 0575-82578658 82578588

 **Email:** info@wanhongtube.com

 **WEB.:** www.wanhongtube.com

ABOUT US



Wanhong established in 2007. The company specializes in R&D, production and sales of various types of cosmetic plastic tubes, ABL&PBL tubes, PP caps and other packaging containers.

The factory covers an area of 40 acres, with a total plant area of 35,000 square meters. Our company currently has eight advanced plastic tube production lines with annual production capacity of 100 million PCS.

Company passed the following certifications:

SA8000 Standard

ISO9001: 2015

ISO14001: 2015

ISO45001: 2018

and acquired a number of Chinese appearances, utility models and invention patents.

The company was awarded the following titles:

Zhejiang Science and Technology Enterprise

PKG Family Member


Famous Brands' Strategic Partners



WANHONG



100 million
PCS
Annual Capacity



35,000 m²
Plant Area



2007
Since



200+
Employees



8
Production Lines

DEVELOPMENT

EQUIPMENT



The company has been always introducing advanced facilities in order to enlarge the productivity and improve the quality. We are currently equipped with extrusion machines, automatic head injection machines, injection molding machines, silk screen & offset printing machines, assembly machines, labeling machines, hot stamping machines, visual inspection machines, QR printing equipment, shrink film machines, efficient dust free machines, etc.



2020

Introduced 3 advanced servo silk screen printing machines, and implemented ERP and OA system.

2021

Introduced 2 full-auto head injection machines, 1 visual inspection machine, 1 8-color offset printing machine, and implemented 5S lean production system.

2023

Introduced several robots of head injection and one set of Prepress & Production Quality Control System

2024

Passed SA8000 Standard

2014

The new 35,000 square meter plant was officially put into use. Became MaryKay qualified supplier.

2016

Increased to six advanced tube production lines and the monthly capacity was increased to 8 million.

2017

Passed OHSAS 18001: 2007 Occupational Health and Safety Assessment Series certification

2019

Introduced an ABL&PBL production line and undertook a project for technological transformation of tube automatic production lines.

2007

Wanhong Company introduced two advanced tube production lines with a monthly production capacity of 2.5

2009

Passed ISO 14001:2004 Environmental Management System certification, ISO 9001:2008 Quality Management certification.

2010

Increased to three advanced tube production lines and the monthly capacity was increased to 4 million.

2012

Purchased 40 acres of land and built a new factory. Increased to four advanced tube production lines and the monthly capacity was increased to 5 million.

R&D TEAM



An engineering and technical team composed of some experienced engineers provides you with PPS development, process technical support, standard formulation, private mold customization and other services.



QUALITY



A professional quality control team contains more than 30 people. Products undergo the first article inspection, in-process inspection, 100% full inspection, shipment inspection at all levels to create the best quality.



CLIENTS




CERTIFICATES



Wanhong has achieved quality excellence and environmental friendliness through different international certifications. It was first certified by ISO 9001 and ISO14001 in 2009. In 2017, the company passed OHSAS 18001 and officially has "three systems" certification. The company has a number of patents, and was awarded "Zhejiang Province Science and Technology Enterprise".

 完美 PERFECT	 COSMECCA	 kolmar	 CHLITINA 克丽缇娜	 THE WEINA	 SEPHORA 丝芙兰
 华熙生物 BIOMAGE BIOTECH	 摇滚动物园 ROCKINGZOO	 兔头妈妈	 戴可思	 研译 FACIPHER	 AMORTALS
 康婷生物	 绿叶集团 Greenleaf Group	 MARY KAY® 玫琳凯	 OSM 欧诗漫	 intercos GROUP	 watsons 屈臣氏
 UNNY CLUB	 COSMAX THE SCIENCE OF KOREAN BEAUTY	 菜鸟和配方师	 DNLN XIR 黛莱皙	 至本	 YONWOO
 OLĒVA 奥洛菲	 Mistine	 KOSÉ	 THEFACESHOP 菲诗小钰	 网易严选	 CHANDO 自然堂



Essence, Personal Care Tubes



Ref.
1914T-1975C
Dia.(mm)
19



Ref.
1927T-LS19006
Dia.(mm)
19



Ref.
1601ST-LS16002
Dia.(mm)
16



Ref.
2509T25C01
Dia.(mm)
25



Ref.
2509T-2577C
Dia.(mm)
19/25



Ref.
2501ST-LS25012
Dia.(mm)
25 **PMMA**



Ref.
1912T-LS19005
Dia.(mm)
16/19



Ref.
1917T-1962C
Dia.(mm)
19/22/25



Ref.
2201T-2260C
Dia.(mm)
22



Ref.
2202ST-LS22005
Dia.(mm)
22



Ref.
2513T-LS25010
Dia.(mm)
25 **PMMA**



Ref.
1911T-1667C
Dia.(mm)
19/22/25/30



Ref.
2201T-2265C
Dia.(mm)
19/22



Ref.
1906ST-LS19019
Dia.(mm)
19



Ref.
1901ST-LS19022
Dia.(mm)
19



Ref.
2502ST-2510C
Dia.(mm)
25/30



Ref.
2209T-LS22004
Dia.(mm)
22/25



Ref.
2201ST-1919C
Dia.(mm)
19/22



Eye Cream, Makeup

Lipstick Tubes



Ref.
1911T-1968C
Dia.(mm)
19/22/25



Ref.
2503T-1906C
Dia.(mm)
16/19/22/25



Ref.
1603T-1606C
Dia.(mm)
16/19/22/25



Ref.
1603T-1360C
Dia.(mm)
13/16



Ref.
1603T-1605C
Dia.(mm)
13/16/19/22/25/35



Ref.
1614T-1614C
Dia.(mm)
16/19



Ref.
1906T-1905C
Dia.(mm)
16/19



Ref.
2501T-2576C
Dia.(mm)
25 2 in 1 lipstick



Ref.
1934T-TNS84+1903C
Dia.(mm)
19 TPE lipstick



Ref.
1613T-1666C
Dia.(mm)
16



Ref.
1916T-1982C
Dia.(mm)
19



Ref.
1907T-1904C
Dia.(mm)
16/19



Ref.
1924T-1915C
Dia.(mm)
19



Ref.
1612T-TNS67-1663C
Dia.(mm)
16/19



Ref.
1930T-1918C
Dia.(mm)
19



Ref.
2501T-2504C
Dia.(mm)
19/25/30



Ref.
1901T-1993C
Dia.(mm)
19



Ref.
1901T-1974C
Dia.(mm)
19-55



Hand Cream Tubes



Ref.
4001T-LS40005

Dia.(mm)
40/50





Ref.
3504T-3589C-3590C

Dia.(mm)
35





Ref.
4501T-LS40019

Dia.(mm)
35/45





Ref.
2501T-1983C

Dia.(mm)
19/22/25





Ref.
4026T-LS40054

Dia.(mm)
40





Ref.
3504T-LS35020

Dia.(mm)
19/35/40





Ref.
3504T-LS35024

Dia.(mm)
35/38/40





Ref.
3021T-3084C

Dia.(mm)
30





Ref.
3002T-3010C

Dia.(mm)
30



Shaped Tubes



Ref.
3518T-3518C-3517C

Dia.(mm)
35





Ref.
3507ST-LS22007

Dia.(mm)
35





Ref.
4032T-4097C

Dia.(mm)
40





Ref.
5004T-5063C

Dia.(mm)
35/40/45/50





Ref.
3521T-3566C

Dia.(mm)
19/25/30/35/40/45/50





Ref.
3521T-3565C

Dia.(mm)
19/25/30/35/40/45/50





Ref.
2516T-2583C

Dia.(mm)
25/40





Ref.
2511T-LS25006

Dia.(mm)
25/30/40





Ref.
2512T-LS25007

Dia.(mm)
25





Ref.
3526T-3515C
Dia.(mm)
30/35



Ref.
3526T-LS35034
Dia.(mm)
30/35



Ref.
3520T-3582C
Dia.(mm)
35



Ref.
4007ST-LS40043
Dia.(mm)
40



Ref.
4006ST-LS40061
Dia.(mm)
40



Ref.
3509ST-LS35035
Dia.(mm)
35



Ref.
3507T-3506C
Dia.(mm)
30/35/40/45/50



Ref.
3501ST-LS35015
Dia.(mm)
35



Ref.
3502ST-LS35014
Dia.(mm)
35



Ref.
5001ST-LS50007
Dia.(mm)
50



Ref.
4025T-4091C
Dia.(mm)
40



Ref.
3801ST-LS38002
Dia.(mm)
38



Ref.
3524T-LS35028
Dia.(mm)
35/40



Ref.
3503ST-LS35016
Dia.(mm)
30/35



Ref.
3508ST-LS35031
Dia.(mm)
30/35



Ref.
3020T-LS30018
Dia.(mm)
30/40



Ref.
2206T-2263C
Dia.(mm)
22



Ref.
3004ST-3086C
Dia.(mm)
30/40

Facial Cleanser Tubes



Ref.
4001T-4096C
Dia.(mm)
40



Ref.
4002T-LS40063
Dia.(mm)
40



Ref.
6001T-5061C
Dia.(mm)
60



Ref.
3501T-3575C
Dia.(mm)
22-60



Ref.
5501T-5070C
Dia.(mm)
19-55



Ref.
4001T-4081C
Dia.(mm)
30-60



Ref.
5001T-5076C
Dia.(mm)
50



Ref.
35T01
Dia.(mm)
35 One-Piece Tube



Ref.
4031T-LS40066
Dia.(mm)
40



Ref.
3501T-3502C
Dia.(mm)
35/40



Ref.
4018T-4089C
Dia.(mm)
35/40/50/55



Ref.
3519T-3581C
Dia.(mm)
35/40/50 Snap on



Ref.
4023T-LS40060
Dia.(mm)
40



Ref.
3504T-3080C
Dia.(mm)
30/35/40



Ref.
3523T-LS35027
Dia.(mm)
35



Ref.
4002T-4002C
Dia.(mm)
30/35/40



Ref.
3501T-LS35001
Dia.(mm)
25/35/45



Ref.
4002T-3075C
Dia.(mm)
30/35/40





Ref.
3501T-LS40057
Dia.(mm)
35/40



Ref.
4501T-LS40052
Dia.(mm)
40/45



Ref.
3012T-3007C
Dia.(mm)
30/40/50 **Twist on/off**



Ref.
4028T-4095C
Dia.(mm)
40



Ref.
4012T-4010C
Dia.(mm)
40



Ref.
3001T-3085C
Dia.(mm)
30 **Twist on/off**



Functional Applicators



Ref.
1605T-LS16003
Dia.(mm)
16/19



Ref.
3019T-3077C
Dia.(mm)
30 **Snap on**



Ref.
2204ST-LS22006
Dia.(mm)
22



Ref.
5001T-4086C
Dia.(mm)
40/50



Ref.
3007T-LS30011
Dia.(mm)
30



Ref.
4504T-4568C
Dia.(mm)
45 **Tamper-proof**



Disposable Tubes



Ref.
3517T-TNS73-3584C
Dia.(mm)
35



Ref.
4011ST-LS40065
Dia.(mm)
40



Ref.
4018T-LS40032
Dia.(mm)
40



Ref.
1301T
Dia.(mm)
13



Ref.
2001T
Dia.(mm)
20



Ref.
1609T
Dia.(mm)
13/16/19



 Pump Tube Series



Ref.
3504T-3591C
Dia.(mm)
30/35



Ref.
2501T-2567C
Dia.(mm)
25



Ref.
1914T-1985C
Dia.(mm)
19



 PMMA, Wooden Caps



Ref.
4001T-4079C
Dia.(mm)
40



Ref.
4501T-4569C
Dia.(mm)
45



Ref.
4002T-LS35009
Dia.(mm)
40



Ref.
3018T-LS30010
Dia.(mm)
30 **Snap on**



Ref.
3018T-2564C
Dia.(mm)
19/25/30/35



Ref.
3013T-3073C
Dia.(mm)
30



Ref.
5001T-5072C
Dia.(mm)
50 **Bamboo**



Ref.
2505T-LS25002
Dia.(mm)
19/22/25



Ref.
1901T-LS19011
Dia.(mm)
19



Ref.
3527T-35C02
Dia.(mm)
35 **Snap on**



Ref.
3511T-35C01
Dia.(mm)
35



Ref.
4018T-LS40062
Dia.(mm)
40/50



Ref.
4501T-LS45001
Dia.(mm)
40/45 **Wooden cap**



Ref.
3001T-3001C
Dia.(mm)
13-55 **Aluminum cap**



Ref.
4002T-LS35008
Dia.(mm)
30/35/40



Materials and Craft



PCR Tube
Post-consumer Resin



Sugarcane Tube



ABL/PBL Tube



Mono-Material Tube



Kraft or Nonwovens Included



Soft Touch *raw material or coating*



Heat Activated Thermochromic Ink Printing



Photochromic Ink Printing



Water Transfer Printing
For Cap





Visible/Hidden QR Code Printing

PMMA Cap Series



PRODUCT DIAGRAM



SPECIFICATION

Round Tube Diameter /Capacity

mm/D mm/L ml/C	Φ13	Φ16	Φ19	Φ20	Φ22	Φ25	Φ30	Φ35	Φ38	Φ40	Φ45	Φ50	Φ55	Φ60
1	40													
3	51	43												
5	65	55												
10		70	66	69										
15		100	85	88	72									
20		133	100	103	85	74								
25			110	113	100	84								
30					110	94	78							
35						104	85	75						
40						115	92	81						
50						135	106	91						
60							122	102	90					
70							136	112	100	98				
80							150	124	110	106				
90								135	120	114	86			
100								148	130	122	95			
110								162	145	128	102			
120									155	137	110			
130									164	145	115	110		
140									173	154	126	118		
150									181	162	134	120	100	
160										170	142	130	105	
170										178	150	137	110	
180										186	158	143	115	102
190											164	149	120	106
200											172	156	124	111
210											180	164	127	115
220											190	170	130	119
230												175	137	123
240												180	143	127
250												185	149	131
300													173	151
350													195	176
400													218	200
450														
500														

Oval & Flat Tube Diameter/ Capacity

mm/D mm/L ml/C	Φ19	Φ25	Φ30	Φ35	Φ40	Φ45	Φ50
5							
10	82	76					
20	105	81					
30		87	89				
35		100	90	80			
40		110	100	88			
50			110	98			
60			117	105	100		
70			127	125	120		
80			141	135	130	107	
100				143	135	110	
105					145	115	
110					155	120	113
120						124	118
125						132	125
140						142	130
150						165	148
150						172	158
170						180	172
180						194	180

Tube diameter is set and length of tube can be customized.Specifications are for reference only and customized sizes are available.